

SECTION

100

DRAINAGE

ITEMS

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet
EW-1 EW-1A	101.01	Standard Endwall for Pipe Culverts 12" - 36" Circular and 23" X 14" - 53" X 34" Elliptical Pipes							2/01	
EW-1PC EW-1APC	101.02	Precast Endwall for Pipe Culverts 12" - 36" Circular and 23" X 14" - 53" X 34" Elliptical Pipes							2/01	
EW-2 EW-2A	101.03	Standard Endwall for Pipe Culverts 42" - 96" Circular and 60" X 38" - 106" X 68" Elliptical Pipes							2/01	
	101.04	Standard Endwall for Pipe Culverts 42" - 96" Circular Pipes							2/01	
	101.05	Standard Endwall for Pipe Culverts 60" X 38" - 106" X 68" Elliptical Pipes							2/01	
EW-2 PC	101.06	Precast Endwall for 42" - 96" Circular Pipe Culverts							2/01	
EW-2A PC	101.07	Precast Endwall for 60" x 38" - 106" x 68" Elliptical Pipe Culverts							2/01	
EW-2S	101.08	Standard Endwalls for 42" - 96" Pipe Culverts 30 and 45 Degree Skews							2/01	
	101.09	Standard Endwalls for 42" - 96" Pipe Culverts 30 and 45 Degree Skews							2/01	
EW-2S PC	101.10	Precast Endwalls for Multiple Pipe Culverts							2/01	
EW-6	101.11	Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 45 Degree Skew							2/01	
EW-6 PC	101.12	Precast Endwall for Multiple Pipe Culverts							2/01	
EW-6S	101.13	Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 30 Degree Skew							2/01	
	101.14	Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 45 Degree Skew							2/01	
EW-6 PC	101.15	Precast Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 30 Degree Skew							2/01	
	101.16	Precast Endwalls for Multiple Pipe Culverts 12" - 36" Pipe 45 Degree Skew							2/01	
EW-7	101.17	Endwalls for Multiple Pipe Culverts 42" - 96" Pipe							2/01	

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
EW-7 PC	101.18	Precast Endwalls for Multiple Pipe Culverts 42" - 96"								2/01	
EW-7S	101.19	Endwalls for Multiple Pipe Culverts 42" - 96" Pipe 30 Degree Skew	7/01							2/01	
	101.20	Endwalls for Multiple Pipe Culverts 42" - 96" Pipe 30 Degree Skew								2/01	
EW-7S PC	101.21	Precast Endwalls for Multiple Pipe Culverts 42" - 96" Pipe 45 Degree Skew								2/01	
EW-9	101.22	Endwalls for Pipe Arches 13" - 38" Rise								2/01	
EW-9 PC	101.23	Precast Endwalls for Pipe Arches 13" - 38" Rise								2/01	
EW-10	101.24	Endwalls for Multiple Pipe Arches 13" - 38" Rise								2/01	
EW-10 PC	101.25	Precast Endwalls for Multiple Pipe Arches 13" - 38" Rise								2/01	
EW-11	101.26	Precast Endwalls with Load-Carrying Grate for 12" - 60" Pipes	8/07							2/01	A-194
	101.27	Pipe Endwalls with Load-Carrying Grate for 12" - 60" Pipes								2/01	
	101.28	Pipe Endwalls with Load-Carrying Grate for 12" - 60" Pipes								2/01	
EW-11A	101.29	Pipe Endwalls with Load-Carrying Grate for 12" - 24" Pipes								2/01	
	101.30	Pipe Endwalls with Load-Carrying Grate for 12" - 24" Pipes								2/01	
EW-11A PC	101.31	Precast Pipe Endwall with Load-Carrying Grate for 12" - 24" Pipe								2/01	
EW-12	101.32	Endwalls for Pipe Underdrain	7/04	7/03						2/01	A-57
ES-1	102.01	Flared End-Section for Concrete Pipe Culverts (12"-60")	7/01							2/01	A-142
ES-1A	102.02	Flared End-Section for 23" x 14" to 53" x 34" Elliptical Concrete Pipe Culverts	7/01							2/01	A-130
ES-2	102.03	Flared End-Section for 12" - 60" Corrugated Pipe Culverts	7/01							2/01	A-142
ES-3	102.04	Flared End-Section for Metal Pipe Arches 13" - 47" Rise								2/01	

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
	103.01	Precast Unit Assembly Diagram								2/01	
	103.02	Legend & General Notes - Precast	7/05							2/01	
T-DI-1	103.03	Precast Top Unit - DI-1								2/01	
T-DI-2	103.04	Precast Top Unit - DI-2	3/03							2/01	A-148
T-DI-3, 4	103.05	Precast Top Unit - DI-3, DI-4	3/03							2/01	A-148
	103.06	Precast Top Unit - DI-3, DI-4								2/01	
T-DI-5	103.07	Precast Top Unit - DI-5	7/05							2/01	
T-DI-7	103.08	Precast Top Unit - DI-7	7/05							2/01	
T-MH-2	103.09	Precast Manhole Top Units								2/01	
R-1, 2, 3	103.10	Precast Reducer and Riser Units								2/01	
B-1, 2	103.11	Precast Base Units								2/01	
B-3	103.12	Precast Base Unit								2/01	
B-4	103.13	Corrugated Metal Base Unit								2/01	
DI-1	104.01	Standard Drop Inlet 12"-24" Pipe: Maximum Depth (H) = 10'	8/07							2/01	A-190
DI-1A	104.02	Standard Drop Inlet 12"-24" Pipe: Depth (H) = 10' to 20'	8/07							2/01	A-190
DI-2A, 2B, 2C	104.03	Standard Curb Drop Inlet 12"-24" Pipe: Maximum Depth (H) = 9'	7/05	1/04						2/01	A-153
	104.04	Dimensions & Quantities	8/07							2/01	A-191
DI-2AA, 2BB, 2CC	104.05	Standard Curb Drop Inlet 12"-24" Pipe: Depth (H) = 9' to 20'								2/01	
DI-2D, 2E, 2F	104.06	Standard Curb Drop Inlet 30"-48" Pipe: Maximum Depth (H) = 9'	7/05	1/04						2/01	A-153

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet
DI-2D, 2E, 2F	104.07	Dimensions & Quantities							2/01	
DI-2DD, 2EE, 2FF	104.08	Standard Curb Drop Inlet 30"-48" Pipe: Depth (H) = 9' to 20'							2/01	
DI-3A, 3B, 3C	104.09	Standard Curb Drop Inlet 12"-30" Pipe: Maximum Depth (H) = 8'							2/01	
	104.10	Dimensions & Quantities							2/01	
DI-3AA, 3BB, 3CC	104.11	Standard Curb Drop Inlet 12"-30" Pipe: Depth (H) = 8' to 20'							2/01	
DI-3D, 3E, 3F	104.12	Standard Curb Drop Inlet (with Utility Space) 12" - 30" Pipe: Maximum Depth (H) = 8'	7/02	7/01					2/01	
	104.13	Dimensions & Quantities							2/01	
DI-3DD, 3EE, 3FF	104.14	Standard Curb Drop Inlet (with Utility Space) 12" - 30" Pipe: Depth (H) = 8' to 20'							2/01	
DI-4A, 4B, 4C	104.15	Standard Curb Drop Inlet 36"-48" Pipe: Maximum Depth (H) = 8'							2/01	
	104.16	Dimensions & Quantities							2/01	
DI-4AA, 4BB, 4CC	104.17	Standard Curb Drop Inlet 30"-48" Pipe: Depth (H) = 8' to 20'							2/01	
DI-4D, 4E, 4F	104.18	Standard Curb Drop Inlet (with Utility Space) 36" - 48" Pipe: Maximum Depth (H) = 8'							2/01	
	104.19	Dimensions & Quantities							2/01	
DI-4DD, 4EE, 4FF	104.20	Standard Curb Drop Inlet (with Utility Space) 36" - 48" Pipe: Depth (H) = 8' to 16'							2/01	
DI-5	104.21	Standard Ditch Drop Inlet	7/05						2/01	
DI-7, 7A, 7B	104.22	Standard Median Drop Inlet 12" - 42" Pipe							2/01	
	104.23	Cover & Gutter Details	7/05						2/01	
	104.24	Standard DI-7, 7A, or 7B with Flume Connection 12" to 36" Pipe							2/01	
DI-9	104.25	15" Pipe Tee Section Drop Inlet	7/04						2/01	A-158

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
DI-10G, 10H, 10I	104.26	Concrete Median Barrier Drop Inlet								2/01	
	104.27	Quantities & Dimensions								2/01	
DI-10J, 10K, 10L	104.28	Concrete Median Barrier Drop Inlet								2/01	
	104.29	Concrete Median Barrier Drop Inlet	7/02	7/01						2/01	A-100
DI-12, 12A	104.30	Multigrate Drop Inlet for Pipe Sizes 12" - 72"								2/01	
	104.31	Grate Details	8/07	2/06	7/05					2/01	A-163
	104.32	Quantities & Dimensions								2/01	
DI-12B, 12C	104.33	Multigrate Drop Inlet for Pipe Sizes 12" - 36"	8/07	2/06	7/05					2/01	A-164
	104.34	Grate Details & Quantities	8/07	2/06	7/05					2/01	A-164
DI-13	104.35	Shoulder Slot Inlet	8/07							2/01	A-165
	104.36	Shoulder Slot Inlet	8/07	7/05						2/01	A-165
PI-1	104.37	Method of Outlet Pipe Installation for DI-13								2/01	
DI-14A, 14B, 14C	104.38	Concrete Median Barrier Drop Inlet (Tall Wall)	2/06							2/01	A-170
DI-14A, 14B, 14C	104.39	Quantities & Dimensions	2/06							2/01	A-170
DI-14D, 14E, 14F	104.40	Concrete Median Barrier Drop Inlet (Tall Wall)	7/01							2/01	A-102
	104.41	Concrete Median Barrier Drop Inlet (Tall Wall)	7/01							2/01	A-102
DI-MB	104.42	Concrete Masonry Block Curb Drop Inlet								2/01	
IC-2	105.01	Standard Inlet Frame and Cover	8/07							2/01	A-192_1
	105.02	Standard Inlet Frame and Cover	8/07							2/01	A-192_1

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet
IC-2	105.03	Precast Inlet and Frame Cover	8/07						2/01	A-192 2
MH-1	106.01	Manhole for 12" to 48" Pipe Culvert	7/01						2/01	
	106.02	Standard Manhole Frame and Cover							2/01	
	106.03	Standard Manhole Frame and Cover							2/01	
	106.04	Standard Manhole Frame and Cover	7/02						2/01	A-20
	106.05	Standard Manhole Frame and Cover							2/01	
MH-1A	106.06	Standard Manhole Frame and Cover							2/01	
MH-2	106.07	Precast Manhole							2/01	
IS-1	106.08	Method for Shaping Manhole and Inlet Culverts							2/01	
ST-1	106.09	Standard Step							2/01	
JB-1	106.10	Junction Box Chamber Details for 48" - 72" Pipe Culverts							2/01	
	106.11	Junction Box Details for Angular Connections of 48" 72" Pipe Culverts							2/01	
	106.12	Junction Box Tower Details for 48" - 72" Pipe Culverts							2/01	
	106.13	Junction Box Displacement Quantities for 48" - 72" Pipe Culverts							2/01	
SL-1	106.14	Typical Concrete Safety Slab for Drop Inlets, Manholes & Junction Boxes	7/05						2/01	A-62
DSB-1	106.15	Drainage Structure Bedding							9/06	A-186
PB-1	107.00	Installation of Pipe Culverts and Storm Sewers Circular Pipe Bedding and Backfill - Notes							1/04	A-151
PB-1	107.01	Installation of Pipe Culverts and Storm Sewers Circular Pipe Bedding and Backfill - Method "A"	8/07	7/05	1/04				2/01	A-86

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
PB-1	107.02	Installation of Pipe Culverts and Storm Sewers Elliptical Pipe Bedding and Backfill - Method "A"	8/07	7/05	7/04	1/04				2/01	A-86
	107.03	Installation of Pipe Culverts and Storm Sewers Pipe Arch Bedding and Backfill	8/07	7/05	1/04					2/01	A-120
	107.04	Installation of Pipe Culvert Bedding and Backfill Method "A"	1/04							2/01	A-120
PC-1	107.05	Concrete Pipe - Class Table for H-20 Live Load	7/05	7/01						2/01	A-166-1
	107.06	Elliptical Concrete Pipe - Table for H-20 Live Load	7/05							2/01	A-166-1
	107.07	Corrugated Steel Pipe - Height of Cover Table for H-20 Live Loading	7/05							2/01	A-166-2
	107.08	Corrugated Aluminum Alloy Pipe - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-2
	107.09	Corrugated Aluminum Alloy Pipe - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-3
	107.10	Corrugated Steel Pipe Arch - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-3
	107.11	Corrugated Aluminum Alloy Pipe Arch - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-4
	107.12	Structural Plate Steel Pipe - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-4
	107.13	Structural Plate Aluminum Alloy Pipe - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-5
	107.14	Structural Plate Steel Pipe Arch - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-5
	107.15	Structural Plate Steel Pipe Arch - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-6
	107.16	Structural Plate Aluminum Alloy Pipe Arch - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-6
	107.17	Aluminum Spiral Rib Pipe - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-7
	107.18	Steel Spiral Rib Pipe - Height of Cover Table for H-20 Live Load	7/05							2/01	A-166-7
	107.19	Cast Iron Pipe - Strength Table for H-20 Live Load	7/05							2/01	A-166-8

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
PC-1	107.20	Vitrified Clay and Plastic Pipe - Maximum Cover Table for H-20 Load	9/06	7/05	7/01					2/01	A-166-8
	107.20A	Allowable Pipe Criteria for Culverts and Storm Sewers	9/06							7/05	A-166-9
	107.21	Allowable Pipe Criteria for Culverts and Storm Sewers	9/06	7/05						2/01	A-166-9
PP-1	107.22	Details for Backfilling Abandoned Culverts								2/01	
UD-1	108.01	Standard Groundwater Underdrain	8/07	2/06	7/03					2/01	A-80
UD-2	108.02	Pipe Underdrain for use with Raised Grass Median Strips	8/07	2/06	7/03					2/01	A-80
UD-3	108.03	Standard Sidewalk Underdrain	8/07	2/06	7/03					2/01	A-55
CD-1	108.04	Standard Combination Underdrains (at lower end of cuts)	8/07	7/03						2/01	A-84
CD-2	108.05	Standard Combination Underdrains (at grade sags and bridge approaches)	8/07	7/03						2/01	A-84
UD-4	108.06	Standard Pavement Edgedrain	8/07	1/04	7/03					2/01	A-81
	108.07	Standard Pavement Edgedrain	8/07	2/06	7/03					2/01	A-81
UD-5	108.08	Prefabricated Geocomposite Retrofit Pavement Edgedrain	8/07							2/01	A-82
UD-7	108.09	Standard Retrofit Edgedrain	8/07	2/06	7/03					2/01	A-83
PG-2A	109.01	Standard Paved Ditches	7/04	7/02						2/01	ISD-570
PG-3	109.01a	Standard Rip Rap Ditch and Slope Protection								7/03	ISD-570
PG-4	109.02	Standard Paved Flume for 12" - 24" Pipe Culverts								2/01	
PG-5	109.03	Standard Paved Ditches								2/01	
PG-6A, 6B	109.04	Standard Precast Paved Ditches								2/01	
PG-7	109.05	Ditch Flume Connector	7/02							2/01	ISD-564A

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions						Original Standard	Insertable Sheet
SB-1	110.01	Standard Spring Box	3/03	7/01						2/01	A-143
SB-1 PC	110.02	Precast Spring Box	3/03	7/01						2/01	A-143
EG-1, 1A	111.01	Standard Energy Dissipator for use with Paved Flume								2/01	
EG-1, 1A PC	111.02	Precast Energy Dissipator								2/01	
PS-2	112.01	Standard Pipe Spillout for 12" - 18" Pipe Culverts								2/01	
PS-3	112.02	Standard Pipe Spillout for 21" - 30" Pipe Culverts								2/01	
TD-CL	113.01	Temporary Diversion Channel & Acceptance Linings								2/01	
EC-1	114.01	Stone for Erosion Control	8/07	9/06						2/01	A-69
EC-2	114.02	Protective Covering Installation Criteria								2/01	
EC-3	114.03	Soil Stabilization Criteria	8/07	7/05						2/01	A-70-1
	114.03A	Soil Stabilization Mat Culvert Outlet Protection Installation								8/07	A-70-1
	114.04	Soil Stabilization Mat Slope Installation	8/07							2/01	A-70-2
EC-4	114.05	Rock Check Dam Type I & II								2/01	
EC-5	114.06	Temporary Silt Fence and Filter Barrier	9/06	3/03						2/01	ISD-414-1
EC-6	114.07	Drop Inlet Silt Trap (Type A and B)	3/03	7/01						2/01	ISD-414-2
EC-7	114.08	Typical Sediment Trap								2/01	
EC-8	114.09	Dewatering Basin								2/01	
EC-9	114.10	Temporary Diversion Dike								2/01	

VDOT 2001 Road and Bridge Standards
Section 100 - Drainage Items

Standard	Page	Title	Current Revision	Previous Revisions					Original Standard	Insertable Sheet
ESC-INS	115.01	Temporary Erosion & Siltation Control	7/04	1/04	3/03				2/01	ISD-414-4
	115.02	Temporary Erosion & Siltation Control							2/01	
ESC-INS	115.03	Temporary Erosion & Siltation Control							2/01	
SWM-1	116.01	Cast-In-Place Stormwater Management Drainage Structure	3/03						2/01	ISD-2216
	116.02	Precast Stormwater Management Drainage Structure	3/03						2/01	ISD-2216
	116.03	Stormwater Management Drainage Structure (SWM) Details	VOID 3/03						2/01	
SWM-DR	116.04	Stormwater Management (SWM) Details	3/03						2/01	ISD-2216A
	116.05	Stormwater Management (SWM) Details	3/03						2/01	ISD-2209
	116.06	Stormwater Management (SWM) Details	3/03						2/01	ISD-2209
	116.07	Stormwater Management (SWM) Details							3/03	ISD-2216A
	116.08	Stormwater Management (SWM) Details							3/03	ISD-2216A