

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|-------------------|--------|---|-------|
| EW-1 EW-1A | 101.01 | Standard Endwall for Pipe Culverts 12" - 36" Circular and 23" X 14" - 53" X 34" Elliptical Pipes | |
| EW-1PC EW-1APC | 101.02 | Precast Endwall for Pipe Culverts 12" - 36" Circular and 23" X 14" - 53" X 34" Elliptical Pipes | |
| EW-2 EW-2A | 101.03 | Standard Endwall for Pipe Culverts 42" - 96" Circular and 60" X 38" - 106" X 68" Elliptical Pipes | |
| | 101.04 | Standard Endwall for Pipe Culverts 42" - 96" Circular Pipes | |
| | 101.05 | Standard Endwall for Pipe Culverts 60" X 38" - 106" X 68" Elliptical Pipes | |
| EW-2 PC | 101.06 | Precast Endwall for Pipe Culverts 42" - 96" Circular Pipe | |
| EW-2A PC | 101.07 | Precast Endwall for Pipe Culverts 60" x 38" - 106" x 68" Elliptical Pipes | |
| EW-2S | 101.08 | Standard Endwalls for Pipe Culverts 42" - 96" Circular Pipes 30 and 45 Degree Skew | |
| | 101.09 | Standard Endwalls for Pipe Culverts 42" - 96" Circular Pipes 30 and 45 Degree Skew | |
| EW-2S PC | 101.10 | Precast Endwall for Pipe Culverts 42" - 96" Circular Pipes with 30 and 45 Degree Skew | |
| EW-6 | 101.11 | Standard Endwall for Multiple Pipe Culverts 12" - 36" Circular Pipes | |
| EW-6 PC | 101.12 | Precast Endwall for Multiple Pipe Culverts 12" - 36" Circular Pipes | |
| EW-6S | 101.13 | Standard Endwalls for Multiple Pipe Culverts 12"- 36" Circular Pipes with 30 Degree Skew | |
| | 101.14 | Standard Endwalls for Multiple Pipe Culverts 12"- 36" Circular Pipes with 45 Degree Skew | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|-----------|--------|--|-------|
| EW-6S PC | 101.15 | Precast Endwall for Multiple Pipe Culverts 12" - 36" Circular Pipes 30 Degree Skew | |
| | 101.16 | Precast Endwall for Multiple Pipe Culverts 12" - 36" Circular Pipes 45 Degree Skew | |
| EW-7 | 101.17 | Standard Endwalls for Multiple Pipe Culverts 42" - 96" Circular Pipes | |
| EW-7 PC | 101.18 | Precast Endwalls for Multiple Pipe Culverts 42" - 96" Circular Pipes | |
| EW-7S | 101.19 | Standard Endwalls for Multiple Pipe Culverts 42" - 96" Circular Pipe 30 Degree Skew | |
| | 101.20 | Standard Endwalls for Multiple Pipe Culverts 42" - 96" Circular Pipe 45 Degree Skew | |
| EW-7S PC | 101.21 | Precast Endwalls for Multiple Pipe Culverts 42" - 96" Circular Pipes with 45 Degree Skew | |
| EW-9 | 101.22 | Standard Endwalls for Pipe Arches 13" - 38" Rise | |
| EW-9 PC | 101.23 | Precast Endwalls for Pipe Arches 13" - 38" Rise | |
| EW-10 | 101.24 | Standard Endwalls for Multiple Pipe Arches 13" - 38" Rise | |
| EW-10 PC | 101.25 | Precast Endwalls for Multiple Pipe Arches 13" - 38" Rise | |
| EW-11 | 101.26 | Precast Endwall with Load-Carrying Grate for 12" - 60" Circular Pipes | |
| | 101.27 | Pipe Endwall with Load-Carrying Grate for 12" - 60" Circular Pipes | |
| | 101.28 | Pipe Endwall with Load-Carrying Grate for 12" - 60" Circular Pipes | |
| EW-11A | 101.29 | Pipe Endwall with Load-Carrying Grate for 12" - 24" Circular Pipes | |
| | 101.30 | Pipe Endwall with Load-Carrying Grate for 12" - 24" Circular Pipes | |
| EW-11A PC | 101.31 | Precast Pipe Endwall with Load-Carrying Grate for 12" - 24" Circular Pipe | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|-----------|------------------------|---|---|
| EW-12 | 101.32 | Standard Endwall for Pipe Underdrain | |
| ES-1 | 102.01 | Flared End-Section for Concrete Pipe Culverts (12"-60") | |
| ES-1A | 102.02 | Flared End-Section for 23" x 14" to 53" x 34" Elliptical Concrete Pipe Culverts | |
| ES-2 | 102.03 | Flared End-Section for 12" - 60" Corrugated Pipe Culverts | |
| ES-3 | 102.04 | Flared End-Section for Metal Pipe Arches 13" - 47" Rise | |
| | 103.01 | Precast Unit Assembly Diagram | |
| | 103.02 | General Notes - Precast | |
| T-DI-1 | 103.03 | Standard Precast Top Units | |
| T-DI-2 | 103.04 | Standard Precast Top Units | |
| T-DI-3, 4 | 103.05 | Standard Precast Top Units | |
| | 103.06 | Standard Precast Top Units | |
| T-DI-5 | 103.07 | Standard Precast Top Units | |
| T-DI-7 | 103.08 | Standard Precast Top Units | |
| T-MH-2 | 103.09 | Standard Precast Manhole Top Units | |
| R-1, 2, 3 | 103.10 | Standard Precast Reducer and Riser Units | |
| B-1, 2 | 103.11 | Standard Precast Base Units | STANDARD REVISED AUGUST 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS LINK |
| B-3 | 103.12 | Standard Precast Base Unit Max Depth (H) 25' | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|------------------|--------|--|-------|
| B-5 | 103.13 | Corrugated Metal Tee Section Max Depth (H) 25' | |
| DI-1 | 104.01 | Standard Drop Inlet 12"-24" Pipe: Maximum Depth (H) = 10' | |
| DI-1A | 104.02 | Standard Drop Inlet 12"-24" Pipe: Depth (H) = 10' to 20' | |
| DI-2A, 2B, 2C | 104.03 | Standard Curb Drop Inlet 12"-24" Pipe: Maximum Depth (H) = 9' | |
| | 104.04 | Standard Curb Drop Inlet 12"-24" Pipe: Maximum Depth (H) = 9' | |
| DI-2AA, 2BB, 2CC | 104.05 | Standard Curb Drop Inlet 12"-24" Pipe: Depth (H) = 9' to 20' | |
| DI-2D, 2E, 2F | 104.06 | Standard Curb Drop Inlet 30"-48" Pipe: Maximum Depth (H) = 9' | |
| | 104.07 | Standard Curb Drop Inlet 30"-48" Pipe: Maximum Depth (H) = 9' | |
| DI-2DD, 2EE, 2FF | 104.08 | Standard Curb Drop Inlet 30"-48" Pipe: Depth (H) = 9' to 20' | |
| DI-3A, 3B, 3C | 104.09 | Standard Curb Drop Inlet 12"-30" Pipe: Maximum Depth (H) = 8' | |
| | 104.10 | Standard Curb Drop Inlet 12"-30" Pipe: Maximum Depth (H) = 8' | |
| DI-3AA, 3BB, 3CC | 104.11 | Standard Curb Drop Inlet 12"-30" Pipe: Depth (H) = 8' to 20' | |
| DI-3D, 3E, 3F | 104.12 | Standard Curb Drop Inlet (with Utility Space) 12" - 30" Pipe: Maximum Depth (H) = 8' | |
| | 104.13 | Standard Curb Drop Inlet (with Utility Space) 12" - 30" Pipe: Maximum Depth (H) = 8' | |
| DI-3DD, 3EE, 3FF | 104.14 | Standard Curb Drop Inlet (with Utility Space) 12" - 30" Pipe: Depth (H) = 8' to 20' | |
| DI-4A, 4B, 4C | 104.15 | Standard Curb Drop Inlet 36"-48" Pipe: Maximum Depth (H) = 8' | |
| | 104.16 | Standard Curb Drop Inlet 36"-48" Pipe: Maximum Depth (H) = 8' | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|---------------------|--------|---|-------|
| DI-4AA, 4BB, 4CC | 104.17 | Standard Curb Drop Inlet 30"-48" Pipe: Depth (H) = 8' to 20' | |
| DI-4D, 4E, 4F | 104.18 | Standard Curb Drop Inlet 36" - 48" Pipe: Maximum Depth (H) = 8' (with Utility Space) 54" - 60" Pipe Max. (H) = 8' (Without Utility Space) | |
| | 104.19 | Standard Curb Drop Inlet 36" - 48" Pipe: Maximum Depth (H) = 8' (with Utility Space) | |
| DI-4DD, 4EE, 4FF | 104.20 | Standard Curb Drop Inlet (with Utility Space) 36" - 48" Pipe: Depth (H) = 8' to 16' | |
| DI-5 | 104.21 | Standard Ditch Drop Inlet | |
| DI-7, 7A, 7B | 104.22 | Standard Median Drop Inlet 12" - 42" Pipe | |
| | 104.23 | Standard Median Drop Inlet 12" - 42" Pipe | |
| | 104.24 | Standard DI-7, 7A, or 7B with Flume Connection 12" to 36" Pipe | |
| DI-9 | 104.25 | 15" Pipe Tee Section Drop Inlet | |
| DI-10G, 10H, 10I | 104.26 | Concrete Median Barrier Drop Inlet (With MB-7D) 12" to 36" Pipe: Depth (H) = 20' Max. | |
| | 104.27 | Concrete Median Barrier Drop Inlet (With MB-7D) 12" to 36" Pipe: Depth (H) = 20' Max. | |
| DI-10J, 10K, 10L | 104.28 | Concrete Median Barrier Drop Inlet (With MB-8A) 12" to 24" Pipe: Depth (H) = 20' Max. | |
| | 104.29 | Concrete Median Barrier Drop Inlet (With MB-8A) 12" to 24" Pipe: Depth (H) = 20' Max. | |
| DI-12, 12A | 104.30 | Multigrate Drop Inlet for Pipe Sizes 12" - 72" | |
| | 104.31 | Multigrate Drop Inlet for Pipe Sizes 12" - 72" | |
| | 104.32 | Multigrate Drop Inlet for Pipe Sizes 12" - 72" | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|------------------|--------|---|-------|
| DI-12B, 12C | 104.33 | Multigrate Drop Inlet for Pipe Sizes 12" - 36" | |
| | 104.34 | Multigrate Drop Inlet for Pipe Sizes 12" - 36" | |
| DI-13 | 104.35 | Shoulder Slot Inlet | |
| | 104.36 | Shoulder Slot Inlet | |
| PI-1 | 104.37 | Method of Outlet Pipe Installation for DI-13 | |
| DI-14A, 14B, 14C | 104.38 | Concrete Median Barrier Drop Inlet 12" to 36" Pipe: Depth (H) =20' Max | |
| DI-14A, 14B, 14C | 104.39 | Concrete Median Barrier Drop Inlet 12" to 36" Pipe: Depth (H) =20' Max | |
| DI-14D, 14E, 14F | 104.40 | Concrete Median Barrier Drop Inlet 12" to 24" Pipe: Depth (H) =20' Max. | |
| | 104.41 | Concrete Median Barrier Drop Inlet 12" to 24" Pipe: Depth (H) =20' Max. | |
| DI-MB | 104.42 | Construction Method For Concrete Masonry Block Curb Drop Inlet | |
| IC-2 | 105.01 | Standard Inlet Frame and Cover | |
| | 105.02 | Standard Inlet Frame and Cover | |
| IC-2 | 105.03 | Precast Inlet and Frame Cover | |
| MH-1 | 106.01 | Manhole for 12" to 48" Pipe Culverts | |
| | 106.02 | Standard Manhole Frame and Cover | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|----------|--------|--|-------|
| MH-1 | 106.03 | Standard Manhole Frame and Cover | |
| | 106.04 | Standard Manhole Frame and Cover | |
| | 106.05 | Standard Manhole Frame and Cover | |
| MH-1A | 106.06 | Standard Manhole Frame and Cover | |
| MH-2 | 106.07 | Precast Manhole | |
| IS-1 | 106.08 | Standard Method for Shaping Manhole and Inlet Inverts | |
| ST-1 | 106.09 | Standard Step | |
| JB-1 | 106.10 | Junction Box Chamber Details for 48" - 72" Pipe Culverts Max. Depth (H)=20' | |
| | 106.11 | Junction Box Details for Angular Connections of 48" - 72" Pipe Culverts | |
| | 106.12 | Junction Box Tower Details for 48" - 72" Pipe Culverts Max. Depth (H)=20' | |
| | 106.13 | Junction Box Displacement Quantities for 48" - 72" Pipe Culverts | |
| SL-1 | 106.14 | Typical Concrete Safety Slab for Drop Inlets, Manholes & Junction Boxes | |
| DSB-1 | 106.15 | Drainage Structure Bedding for Drop Inlet, Manhole, and Junction Box | |
| PB-1 | 107.00 | Installation of Pipe Culverts and Storm Sewers General Notes | |
| | 107.01 | Installation of Pipe Culverts and Storm Sewers Circular Pipe Bedding and Backfill - Method "A" | |
| | 107.02 | Installation of Pipe Culverts and Storm Sewers Elliptical Pipe Bedding and Backfill - Method "A" | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|----------|--------|---|-------|
| PB-1 | 107.03 | Installation of Pipe Culverts and Storm Sewers Pipe Arch Bedding and Backfill | |
| | 107.04 | Installation of Box Culvert Bedding and Backfill Method "A" | |
| PC-1 | 107.05 | Concrete Pipe - Height of Cover Table for HL-93 Live Load | |
| | 107.06 | Reinforced Elliptical Concrete Pipe - Height of Cover Table for HL-93 Live Load | |
| | 107.07 | Corrugated Steel Pipe - Height of Cover Table for HL-93 Live Loading | |
| | 107.08 | Corrugated Aluminum Alloy Pipe - Height of Cover Table for HL-93 Live Load | |
| | 107.09 | Corrugated Steel Pipe Arch - Height of Cover Table for HL-93 Live Load | |
| | 107.10 | Corrugated Aluminum Alloy Pipe Arch - Height of Cover Table for HL-93 Live Load | |
| | 107.11 | Structural Plate Steel Pipe - Height of Cover Table for HL-93 Live Load | |
| | 107.12 | Structural Plate Aluminum Alloy Pipe - Height of Cover Table for HL-93 Live Load | |
| | 107.13 | Structural Plate Steel Pipe Arch - Height of Cover Table for HL-93 Live Load | |
| | 107.14 | Structural Plate Steel Pipe Arch - Height of Cover Table for HL-93 Live Load | |
| | 107.15 | Structural Plate Aluminum Alloy Pipe Arch - Height of Cover Table for HL-93 Live Load | |
| | 107.16 | Aluminum Spiral Rib Pipe - Height of Cover Table for HL-93 Live Load | |
| | 107.17 | Steel Spiral Rib Pipe - Height of Cover Table for HL-93 Live Load | |
| | 107.18 | Cast Iron Pipe - Height of Cover Table for HL-93 Live Load | |
| | 107.19 | Plastic Pipe - Height of Cover Tables for HL-93 Live Load | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|----------|------------------------|--|-------|
| PC-1 | 107.20 | Allowable Pipe Criteria for Culvert and Storm Sewers | |
| | 107.21 | Allowable Pipe Criteria for Culvert and Storm Sewers | |
| | 107.22 | Allowable Pipe Criteria for Culvert and Storm Sewers | |
| PP-1 | 107.23 | Details for Backfilling Abandoned Culverts | |
| UD-1 | 108.01 | Standard Groundwater Underdrain | |
| UD-2 | 108.02 | Pipe Underdrain for use with Raised Grass Median Strips | |
| UD-3 | 108.03 | Standard Sidewalk Underdrain | |
| CD-1 | 108.04 | Standard Combination Underdrains (at lower end of cuts) | |
| CD-2 | 108.05 | Standard Combination Underdrains (at grade sags and bridge approaches) | |
| UD-4 | 108.06 | Standard Pavement Edgedrain | |
| | 108.07 | Standard Pavement Edgedrain | |
| UD-5 | 108.08 | Prefabricated Geocomposite Retrofit Pavement Edgedrain | |
| UD-7 | 108.09 | Standard Retrofit Edgedrain | |
| PG-2A | 109.01 | Standard Paved Ditches | |
| PG-3 | 109.02 | Standard Rip Rap Ditch and Slope Protection PG-3 | |
| PG-4 | 109.03 | Standard Paved Flume for 12" - 24" Pipe | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|-------------|-------------------------|--|--|
| PG-5 | 109.04 | Standard Paved Ditches | |
| PG-6A, 6B | 109.05 | Standard Precast Paved Ditches (Concrete, Corrugated Metal & Bituminous Fiber Pipes) | |
| PG-7 | 109.06 | Ditch Flume Connector | |
| SB-1 | 110.01 | Standard Spring Box | |
| SB-1 PC | 110.02 | Precast Spring Box | |
| EG-1, 1A | 111.01 | Standard Energy Dissipator for use with Paved Flumes | |
| EG-1, 1A PC | 111.02 | Precast Energy Dissipator | |
| PS-2 | 112.01 | Standard Pipe Spillout for 12" - 18" Pipe Culverts | |
| PS-3 | 112.02 | Standard Pipe Spillout for 21" - 30" Pipe Culverts | |
| EC-1 | 113.01 | Culvert Outlet Protection | |
| EC-2 | 113.02 | Rolled Erosion Control Product Protective Covering Installation Criteria (Temporary Use) | |
| EC-3 | 113.03 | Rolled Erosion Control Product Soil Stabilization Mat (Permanent Ditch Installation) | |
| | 113.04 | Rolled Erosion Control Product Soil Stabilization Mat (Culvert Outlet Protection Installation) | |
| | 113.05 | Rolled Erosion Control Product Soil Stabilization Mat (Permanent Slope Installation) | |
| EC-4 | 113.06 | Rock Check Dams Type I & II | |
| EC-5 | 113.07 | Temporary Silt Barriers, Silt Fence (Type A & B), and Brush Barrier | STANDARD REVISED JANUARY 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS LINK |
| | 113.07A | Temporary Silt Barriers, Silt Fence (Type A & B), and Brush Barrier | STANDARD REVISED JANUARY 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS LINK |
| | 113.07B | Temporary Silt Barriers, Silt Fence (Type A & B), and Brush Barrier | STANDARD REVISED JANUARY 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS LINK |
| | 113.08 | Temporary Silt Barriers, Silt Fence (Type A & B), and Brush Barrier | |

VDOT 2016 Road and Bridge Standards
Section 100 - Drainage Items

| Standard | Page | Title | NOTES |
|----------|--------|--|---|
| EC-6 | 113.09 | Inlet Protection (Type A and B) | |
| | 113.10 | Inlet Protection (Type C) | |
| EC-7 | 113.11 | Typical Sediment Trap | |
| EC-8 | 113.12 | Dewatering Basin | |
| EC-9 | 113.13 | Temporary Diversion Dike | |
| EC-10 | 113.14 | Temporary Berm and Slope Drain | |
| EC-11 | 113.15 | Stabilized Construction Entrance | |
| EC-12 | 113.16 | Temporary Diversion Channel | |
| EC-13 | 113.17 | RipRap Weirs; Low Flow Diversion For Multiple Line Culvert Installations | |
| EC-14 | 113.18 | Temporary Vehicular Watercourse Crossing | |
| EC-15 | 113.19 | Sediment Retention Roll Slope Interrupter | STANDARD REVISED AUGUST 2017, FOR PREVIOUS VERSION OF STANDARD FOLLOW THIS LINK |
| SWM-1 | 114.01 | Cast in Place Stormwater Management Drainage Structure | |
| | 114.02 | Precast Stormwater Management Drainage Structure | |
| SWM-DR | 114.04 | Stormwater Management (SWM) Details | |
| | 114.05 | Stormwater Management (SWM) Details Debris Rack, Metal Plate, Water Quality Orifice, Concrete Cradle | |
| | 114.06 | Stormwater Management (SWM) Details Debris Rack, Metal Plate, Water Quality Orifice, Concrete Cradle | |
| | 114.07 | Stormwater Management Details Trash Rack for SWM Drainage Structures | |
| | 114.08 | Stormwater Management Details Trash Rack for SWM Drainage Structures | |